



Office

I-23, Road No. 13, Site-C, Surajpur Industrial Area, Greater Noida, G. B. Nagar, U.P. India-201306

Customer Care:

+91 74280 99256, +91 92891 16777, +91 92891 17555

E-mail:

 $sales@nare en alifesciences.com, \ dm@nare en alifesciences.com,$

coordination@nareenalifesciences.com

Website:

www.nareenalifesciences.com









NAREENA LIFESCIENCES

Sharing Quality and Care



ABOUT US

Nareena Lifesciences Private Limited Is a premier provider of various Medical disposables, Home healthcare and Diagnostic devices apart from this Nareena Lifesciences intend to achieve great heights in Health Care sector by offering quality devices. At our head quarters we have approximately 24000 sq.ft. warehouse stocked with various products and equipment to address your needs, we maintain a extensive database of specialty products, which we shall be happy to supply on priority basis as per your requirements. Our Products are varied, which for your convenience have been classified into the following catagories

- Medical Disposable Devices
- Home Healthcare Devices
- Critical Care Medical Equipments

All of our products are of highest quality and we stand by every thing we sell, But more than the products, we take great pride in the professionals who will work with you to address your needs; It's these professionals, theirs kills, compassion, dedication, experience and care, that would make Nareena Lifesciences an Indian Flagship Company widely recognized world over with our Moto

"Sharing quality and care"



MESSAGE FROM THE MD'S Desk

Dear Friends,

Greetings for the day!!!

We take the opportunity to thank you for your trust in the products and services offered by Nareena Lifesciences. The team Nareena is dedicated to improve the Lives of patients by offering the highest possible level of services and care. I am extremely proud to lead the highly professional and dedicated team Nareena that is providing vital services to the Medical fraternity and society. We assure all of you that the team Nareena would continue to work hard to improve the quality level of its products and services. The Team Nareena is here to serve the entire medical fraternity, business associates, customers, patients and referral sources. Nareena Lifesciences offers you the quality you can rely on, assure you the services you deserve, the responsiveness you expect and the people who will go extra miles for you.

We firmly believe that "Success is not the key to Happiness, Its Happiness what leads to Success so keep loving what you do."

With best wishes & Regards !!!

Navin Kumar Singh MANAGING DIRECTOR



Our Vision

Nareena LifeSciences, intend to be India's leading Flagship Company to serve the Medical fraternity in the best way possible.

We endeavour to go extra miles for our customers and stakeholders by means of-

- Offering innovating and best quality devices, making technology more comfortable and friendly to the people concerned.
- Offering a culture that attracts and nurture the best talent and professionals of the industry.
- We are united by purpose to help in creating a better health care system, we collaborate each other and our customers to make patient care solutions more effective, affordable, accessible in every corner of the world.
- · Nurturing and protecting the environment in terms of eco-friendly products and services.



Our Mission

Nareena LifeSciences is committed to achieve collaborative excellence, through "Sharing quality & care", which embalms our Company's name "Nareena", which in Hindi means "Santushti" – the core essence of Human Life.

At Nareena, we all are dedicated to alleviate human sufferings with exceptional and world class quality medical disposables and Home health careDevices, to create a better and healthy tomorrow.



"Honesty and Integrity" - we act consistently for Human lives with our stated values and exhibit uncompromising honesty.

"Hard Work" -We believe that "serving the needs of others is our reason for existence".

"Respecting Others"-we always respect safety and health concern of patients first and the interest of care givers, customers, partners, investors and our colleagues above ourselves.

"Work Ethics and Personal Responsibility"- Every employee, partner, investors, customer is responsible for playing a vital role in the success of our company. We believe in having harmony between ourselves, our job, our customers, our co-workers and cultivate Ethica Partnerships.

"Compassion and Gratitude"- Caring for the needs of others, empowering our journey. In return, we value what customer service teaches us about ourselves and about how we relate to others.





NAREENA'S OXYGEN CONCENTRATOR Single Flow

(Model No: NLS-OCSF-5N with Nebulizer)

- Single Flow.
- Low purity alarm: If the purity is below 82%, it will start blinking.
- Power failure alarm.
- LCD Display: Accumulating time: present working time.
- Inbuilt Nebulizing function.
- Timer for Auto Shut off.

Product Features:

 Capacity 5 Litres 96±3% Oxygen Purity

 Flow Rate 1-5L/mln (Adjustable)

0.04-0.07 (Mpa) • Outlet Pressure

 Sound Level ≤50 db

AC230V, 50Hz (AC220V /110Vt ±10%, 50/60 ±1Hz are available) Power

Power Consumption

• LCD Display Total working time, presetting time 10 mins to 9 hours

 Alarm Power failure alarm. Below 82% Low purity

• Net Weight 15 Kgs

• Size (mm) 365 x 375 x 600 mm



2 | www.nareenalifesciences.com



NAREENA'S OXYGEN CONCENTRATOR

Dual Flow

(Model No: NLS-OCDF-5N with Nebulizer)

- Two oxygen outlets / Double Flow
- LCD Display: Accumulating time: present working time.
- Inbuilt Nebulizing function.
- Timer for Auto Shut off.

Product Features:

Capacity 5 Litres Oxygen Purity 93±3%

Flow Rate 1-5LPM (Adjustable) Outlet Pressure 0.04 - 0.07 (Kpa) Sound Level - 50 dba

Power AC230V, 50Hz (AC220V/ 110V

 $\pm 10\%$, 50/60 ± 1 Hz are available)

Power Consumption ≤450W

Total working time, presetting time LCD Display

10 mins to 9 hours

Power failure alarm Alarm

Net Weight 22 Kgs

55.2 x 44 x 28 cm Size (mm)

NAREENA'S OXYGEN CONCENTRATOR

(Model No.: NLS-3c -550)

Main Features:

0-10 Litre/min adjustable flow

93% +-3% oxygen purity at all flow levels

Dual flow with Nebuliser

Low oxygen alarm, Low noise, takes up less space, 29 Kg weight

HEPA Filter 24x7 Continous Flow

Product Features:

- Power supplyAC220V+22V,50Hz;110V+10V,60Hz
- Input power 720VA (AVER)
- Oxygen concentration1-10 LPM 93%±3%
- Operation Environment Temperature 5°C-40°C
- Inbuilt Nebulizer
- Atmospheric pressure: 86kPa-106 kPa
- Operation regular Time cycle/pressure rotation
- Transportation/storage condition Temperature-20°C-55°C
- Humidity<90%





NAREENA'S PORTABLE OXYGEN CONCENTRATOR

(Model No.: NLS-POC-P2-E)

Pulse dose is based on breathing/inhaling is more benificial..

Pulse dose mechanisms are more sensitive, utilizing an oxygen concentrator and other technology to deliver oxygen based on breathing rates.

Nareena's portable Oxygen concentrator is with a 0.09cmH2O triggers sensitivity, which is the most dependable and lightest portable oxygen concentrator in the world

You can see from the figure that only 1/6 oxygen can be effectively exchanged on the lung during a inhale exhale cycle, the rest 5/6 oxygen will be wasted in the respiratory tract and exhaling time.

Pulse Dose vs Continuous Flow

Deliver oxygen

< 20%

Based on Breathing Constantly and inhaling Oxygen Utilisation rate

100%

Irritation to nose

Less More **Product Features:** 90%±3% at all settings

Product Specification 1 liter/min equivalent in 5 liters

Oxygen Concentration 2 minutes

Oxygen Flow Max 4.37 lbs. 1.98kg

Warm Up Time Length: 8.70" Weight Width: 5.30"

Height: 3.35" (includes battery) Size

Pulse dose delivery system

Noise level

Display Screen

Operation

Use

Power

Battery



(Model No.: NLS-LA25B)

BreaXpert

The full data management software allows physician to trace and evaluate the effectiveness of treatment by offering long and short-term trend reports with statistics based on ventilation data collected on the device.

Model 25B Mode BPAP

CPAPS, T, S/T AVAPS

CPAP Pressure (cmH2O) 4~20 Intial Pressure (cmH2O) 0~10 Pressure Accuracy (cmH2O) 0.5 EPAP (cmH2O) 4~IPAP IPAP(cmH2O) EPAP~25

Rise Time Four levels: 0, 1, 2, and 3 Ez_Relief Four levels: 0, 1, 2 and 3; 0 is off Humidification Five levels: 0, 1, 2, 3, and 4; 0 is off

ramp Time 5~45min Leak Compensation Yes Altitude Compensation Yes Sound (CPAP Mode) <=28dB Weight 1.4kg

Dimensions (HxWxD) 194mm*150mm*

Power Adapter Input Voltage 100~240V,50Hz/60Hz;1.5A;

Device Type Ventilator: ClassII, Type BF **NAREENA'S AUTO CPAP**

(Model No.: NLS-ACPAP20-G2)

Automatic Positive Airway Pressure (APAP) Standard Compliance IES 60601-1

- General Requirement for Safety of Medical Electrical Equipment: ISO17510 Sleep Apnoea Breathing Therapy
- AC Power Consumption: 100-240VAC, 50/60Hz
- Type of Protection Against Electric Shock : Class II Equipment
- Degree of Protection Against Electric Shock : Type BF Applied Part
- Pressure Range: 2 to 20 hPa (in 0.5h Paincrements)
- Pressure Stability: 2 to 20 hPa (+-0.5hPa)
- Sound Pressure Level: <30 dB
- Maximum Flow: <15LPM
- With Heated Humidifier
- Warranty: 2 year



NAREENA'S HFO-1 OXYGEN THERAPY DEVICE

(Model No.: NLS-HFO-1)

During the patient's respiratory treatment, the oxygen therapy system provides a higher flow rate than conventional oxygen therapy through the non-sealing nasal cannula, tracheotomy interface and mas, inhales the mixed gas with adjustable oxygen concentration and controllable humidity to the patient, so as to achieve better air-oxygen management and improve.

TECHNICAL SPECIFICATION

Humidity >33mg/L at 37 $^{\circ}$ C

> >12mg/L at 34 $^{\circ}$ C >12mg/Lat 31 $^{\circ}$ C

31, 34 and 37 °C **Temperature Seting**

Flow Range Adult 10 to 80 LMP

Pediatrics 2 to 25 LMP

Flow Setting Resolution 1 LMP (<25 LMP range) and 5 LMP for (25 to 70 LMP range)

0.5 LMP Flow Accuracy

Oxygen Flow Maximum 80 LMP 21%-100% FiO2 Range

FiO2 Monitor Accuracy

Power 50-60 Hz, 100-115V 1.6A

(2.2A max), 220-240 1.2A (3.2A Max)

Dimension $273 \, mm \, X \, 170 \, mm \, X \, 175 \, mm$

Weight <2.1 Kg

Wi-Fi (Optional) Connectivity

SpO2 Monitor Optional



NAREENA'S ECG MACHINE

TWELVE CHANNEL (Model No.: NLS-ECG 1200T)

- Dimension:520M45*305mm
- 10 inch Touch Screen Display
- CMRR: ≥dB, with AC Filter, Input circuit floating
- Resolution:12bit/1000Hz
- Operation mode :Manual/Auto/Pendrive Support
- Noise level : $\leq 15\mu \text{ Vp-p}$
- Filter: AC. EMG Filter
- Drift filter: Anti-Drift System
- Paper speed:12.5, 25, 50mm/s (± 3%)
- Sensitivity:5, 10, 20mm/mV
- Recorder: High resolution thermal printer
- Battery:Built-in rechargeable Li-ion battery 14.8V (4000mAh), Inbuilt battery backup -50ECG
- Recording paper Thermal recording paper
- Package:365mmx306mmxl09mm
- Recorder Thermal print head, thermal roll paper, Report papers: -Width: A4:210mm or 8.5"





NAREENA'S PATIENT MONITOR WITH FIVE PARA

(Model No: NLS-MPM1200M)

Product Features:

- ECG, RESP. NIBP, SP02. TEMP, PR/HR
- 12.1" high resolution color TFT LCD display
- Up to 4 hours working capacity of built in rechargeable battery
- Anti-ESU, anti- defibrillator
- Large volume of tabular and graphic trends information storage and easy to recall Arrhythmic Analysis. Multi Lead
- ECG Waveforms Display in Phase. Real time S T segment analysis, pacemaker detection Drug calculation and titration table
- Suitable for adult, pediatric and neonatal patient
- Optional: EtC02. IBP, Printer. CMS and VGA
- 1 year warranty



NAREENA'S PATIENT MONITOR **WITH SEVEN PARA**

(Model No : MPM 1270M)

Product Features:

Screen Size : 12.1 Inch

: Standard Three or five lead cable **ECG**

: Adult 15~300bpm, Pediatric 15~350bpm HR : Adult2~120brpm, Pediatric: 2~150brpm Resp Rang

Accuracy: +/~2brpm

: Range 0~50°C Accuracy: +/-1°C Temp : 200~100%, Accuracy: +/-3bpm Pr Range

: Range 0~100%, Accuracy:70~100% +/-2 SPO2 NIBP

: Operating Mode : Mannual / Automatic / Stat Range 10~270mm HG, Accuracy: +/-5mm HG

Interface : AC Power Connector, USB, RJ45, HDMI Etc Standard : ECG Cable, ECG Electrode, NIBP Cuff, NIBP Tube,

SPO2 Probe, Temperature Prob Each One

Configuration

Available : IBP, Etco2, Nellcor Or Masimo SPO2, Suntech NIBP. REC, Touch, WIFI, Scanning Gun, Card Reader and

Information Input Module.

: 1 year Warranty Warranty





NAREENA'S TABLE TOP THREE **PARA MONITOR**

(Model No.: NLS-800D)

Main Features: Patient Monitor adopts Oscillometry for NIBP measuring, Photoelectric Oxyhemoglobin Inspection Technology combining Capacity Pulse Scanning & Recording Technology for SpO2 measuring. Systolic Pressure (SYS), Diastolic Pressure (DIA), Mean Pressure (MAP), SpO2 and Pulse rate (PR), Temperature (C°/F°) can be accurately measured. Compact appearance comprehensive functions, simple and convenient operation, which is applicable for hospitals, community medical treatment and family.

Product Features:

- Suitable for adult, pediatric for all-round monitoring, easy operation and high performance.
- Suitable for medicine, surgery, operating room, ICU/CCU, emergency room, obsterics and gynecology, pediatrics.
- Built in rechargeable Lithium Battery for uninterrupted monitoring.
- · Compact and flexible appearance, easy for carrying and be suitable for indoor and outdoor (in ambulance) monitoring.
- With user-friendly interface.
- Display with 2.4' color TFT LCD and red highlight LED.
- Visual and audible alarm
- Diastolic Pressure (DIA), Mean Pressure (MAP), SpO2 and Pulse rate (PR), Temperature (C°/F°) and upper and lower limit of alarm can be set.
- Unique flash memory, storage for up to 1000 NIBP data and 8000 SpO2
- · Convenient and quick in inquiring measurement data, review for NIBP trend graph within 24-hour and SpO2 and Pulse rate (PR) trend graphy with 20-hour.

NAREENA'S SYRINGE INFUSION PUMP

(Model No. : NLS - MS5-16C)

Product Description

Easy Operation Intravenous Accuracy infusion Syringe Pump

- Syringe Size 2ml, 5ml, 10ml, 20ml, 30ml and 50 ml, 60ml Accuracy+/-2%
- Weight 1.5Kg
- Display Type 2.5 Inch
- Dimension 278mm x 145mm x 106mm (W X D x H)
- Power Supply 100V to 220V, 50/60Hz
- Battery Type Lithium ion battery
- Pressure SensingMax 100kPa +/- 20kPa, Min. 50kPa+/-20kPa
- Alarm Various Audio and Visual Alarms
- Bouls Rate Different for Different Syringe Size
- Volume Limit 0.1~9999.9ml, Step Size 0.1ml
- Total Injection 0.1~9999.9ml
- Infusion Rate Maximum 1800ml/hour
- Battery Backup 5-7 hours battery backup





NAREENA'S ECG MACHINE

THREE CHANNEL (Model No.: NLS-ECG300D)

Product Description:

12 Leads ECG Synchronous Sampling Systems, Thermal Printer with 80mm Print Paper, Synchronization Print 5.7" Colour Touch Screen, Both Push Button And Touch Operation...

Product Features:

- Automatic Measurement,
- Calculation, analysis, Waveform Freezing
- Support USB Flash Disk And SD Memory
- Patient Information Can Be Input
- Historical Data Can Be Reviewed And Printed
- Built in Rechargeable Lion
- Battery we can print up to 50 ECG waveform on Battery
- AC\DC Power Conversion
- Sleep Mode to Save Energy and Extend LCD Life
- Portable Design With Hidden Handle, Convent To
- Lead Off And Lack Off Paper Detection Function
- 7level Printing Thick Can Be Chosen
- Adapt To 110-230v, 50/60hz AC Power Supply

NAREENA'S ECG MACHINE

SIX CHANNEL

(Model No.: NLS-ECG 600D)

Product Description:

12 Leads ECG Synchronous Sampling Systems, Thermal Printer with 110mm Print Paper, Synchronization Print 5.7" Colour Touch Screen, Both Push Button And Touch Operation...

- Automatic Measurement,
- Calculation, analysis, Waveform Freezing
- Support USB Flash Disk And SD Memory
- Patient Information Can Be Input
- Historical Data Can Be Reviewed And Printed
- Built In Rechargeable Lion
- Battery we can print up to 50 ECG waveform on Battery
- AC\DC Power Conversion
- Sleep Mode To Save Energy And Extend LCD Life
- Portable Design With Hidden Handle, Convent To
- Lead Off And Lack Off Paper Detection Function
- 7level Printing Thick Can Be Chosen
- Adapt To 110-230v, 50/60hz AC Power Supply





NAREENA'S SYRINGE INFUSION PUMP

(Model No.: NLS-SP-100)

Product Description:

Easy Operation Intravenous Accuracy infusion Syringe Pump.

- Automatic syringe size-recognition
- Rate Mode, Time Mode, Body Weight Mode, Intermittent Mode, Drug Library Mode
- Various brands of syringes: 5ml, 10ml, 20ml, 30ml, 50ml
- 90'rotation pole clamp convenient for horizontal bar. vertical IV Pole & platform use
- KVO
- Anti-bolus function
- 1500 History records
- Panel Lock
- Adjustable buzzer volume (3 levels)
- Automatic syringe size-recognition
- Night mode ensure good rest of patients
- RS232 PORT
- Battery Backup 5-8 hrs.



NAREENA'S

VOLUMETRIC INFUSION PUMP

(Model No.: NLS-VIP-100)

Product Description: Compact design

- The compact and light weight design saves space and is beneficial during patient transfer
- The built-in flow stop feature helps reduce the risk of accidental free flow. Prevent free flow when pump chamber is open.
- Anti-bolus function
- Diminishes the volume of unwanted Bolus injected to the patient after removal of the occlusion cause.
- Rate Mode, Time Mode, Body Weight Mode, Intermittent Mode, Drug Library Mode
- 1500 history records
- Adjustable buzzer volume (3 levels)
- 3 adjustable occlusion pressure settings
- 4 levels of air in line alarm adjustable
- RS232 interface (optional)
- Load directly the last infusion rate and volume to be
- Battery recharge while the machine is on/off.
- Battery Backup 5-8 hrs.





NAREENA'S FINGERTIP PULSE OXIMETER

(Model No. : NLS-0703)

Product Features:

- 1. Display Format & Range: LCD SPO2:50-99% in two-digit 7 -segment digital display. Pulse Ratio: 30-240 BPM in 3digit 7 segment digtal. Pulse Wave: 6-segment bar graph.
- Battery Voltage Low Indication: Segment LCD Signals. 2. Power Requirement: Two AAA Size 1.5V Alkali
- 3. Power Consumption: Less than 40mA, Voltage:2.6V~3.3V
- **4. Resolution:** 1% for SPO2 and IBPM for Pulse Ratio.
- **5. Measurements Accuracy:** 2% in stage of 70%. 2 BMP for Pulse Ratio.
- **9. Dimension:** 66(L) X 36(W) X 33(H) mm.
- **10. Gross Weight:** 50 grms.

THERMOMETER

(Model No.: NLS-TMA)

Product Features:

- No-contact infrared thermometer
- Measure Distance: 1-2.5 cm
- Measure Time ≤ 1 sec
- Auto power of $\leq 60 \text{ sec}$
- Memory: 12 data
- Battery: Two AAA alkaline battery
- Measure Range: 34-43°C (body temperature)





(Model No: NLS- PSM001)

Portable suction machine is a new design with an oil-free lubrication pump, developed after a long research and development. It is specially designed to absorb thick liquid such as blood, phlegm or any other liquid waste. The product is widely accepted and used across hospitals, medical institutions and homes. The machine is crafted with high-grade plastic parts for better finish and durability of the product. Silent pump maintains low noise-level while maintaining proper pressure to absorb liquid waste. Fitted within plastic 1000ml reservoir.

Specifications:

Power supply: AC220V±10% 50HZ±2% Max negative pressure : ≥ 0.075 Mpa : <u>></u>60dB(A) : 90VA : <u>></u>18L/min Pumping rate : > 100ml" Reservoir capacity

hidden bottle, oil-free lubrication, Overflow device, complete plastic shell





NAREENA'S NEBULIZER MACHINE

(Model No.: NLS-SILVER)

Nareena's Silver Nebulizer Machine provides effective nebulization by converting the liquid medication into fine mist which can be easily inhaled and gives instant relief to the users.

- Nareena offers Nebulizer machine with low noise, light weight, powerful, Heavy duty piston compressor.
- Highly efficient nebulization with reduced in medication wastage Optimal treatment for different density.
- Safe & easy to clean filter & accessories.
- Latex free accessories.
- One-button operation.

NAREENA'S NEBULIZER MACHINE

(Model No.: NLS-Comfort)

Nareenas Comfort Nebulizer Machine provides effective nebulization by converting the liquid medication into fine mist which can be easily inhaled and gives instant relief to the users.

- Nareena offers Nebulizer machine with low noise, light weight, powerful, piston compressor
- Highly efficient nebulization with reduced in medication wastage.
- Optimal treatment for different density.
- Safe & easy to clean filter & accessories.
- Latex free accessories.
- One-button operation.
- Inbuilt accessories storage chamber
- Silver Series is a heavy duty Nebulizer Machine







NAREENA'S NEBULIZER KIT

(Model No. : NLS-NK 100)

Nebulizer kit with face mask (Latex Free)

Product Features:

Nareena Nebulizer Kit (NNK) Consists of FACE MASK with an integrated NEBULIZER CHAMBER for Nebulizing patients

- Transparent mask (with holes) made from nontoxic. Global grade PVC
- Nebuliser chamber (6ml) to house the drug in liquid form with a funnel shaped vent to allow oxygen at high flows to convert the liquid drug into droplet form to reach the lungs
- Soft, kink resistant. 180cms long non-collapsible extension tubing (STAR LUMEN) to be connected with the oxygen source

Oty in carton Inner/Outer Product

Adult 25/100 25/100 Paediatric

NAREENA'S OXYGEN MASK

(Model No.: NLS-OM100)

Product Features:

Oxygen mask with tubing and nose ckp Nareena Oxygen Mask (NOM) meant to administer oxygen to patients

- Made from special non-toxic grade PVC
- Two holes to allow carbon dioxide exhaled by the patient to escape
- Nasal dip for secure fixation over the patient's
- Elastic band for placement around the head
- Transparent tubing to connect the mask to the oxygen source

Product Qty in carton Inner/Outer

25/100 Adult 25/100 Paediatric







NAREENA'S ORTHOPAEDIC HEATING BELT

(Model No.: NLS-OHB)

An effective pain management therapy

Product Features:

- Technical Specification: Voltage 240 VAC, Wattage 45/24 WATTS, Size - 9 x 12 inches (Approx)
- Made from soft material for batter comfort
- Best quality heating element for longer use
- Highly flexible belt to cover all the body parts properly
- Velcro attached elastic straps for easy fixation of the belt
- 4 layers of insulation on the both sides for complete comfort & safety
- Ensured 100% safety because of in built thermostat

NAREENA'S HOT WATER BOTTLE

(Model No.: NLS-HWB)

Product Features:

- 2000ml Hot Water Bottle
- Nareena's Hot Water Bottle is made up of soft & superior rubber quality to provide adequate comfort to the patient
- 100% Leak Proof
- Comfortable to use in all kind of Weather
- Both the surface of Hot Water Bottle are ribbed to ensure protection against burns & to check slippage
- Please Don't fill water directly from Gyser tap.
- Please Don't fill boiling water in the Bottle.







NAREENA'S ELECTRIC HEATING WATER/GEL BAG

(Model No.: NLS-EHWB)

Product Features:

- Small, easy to carry & use
- Improve blood circulation, Deep penetration of
- Long lasting pain relief, relax tight muscles

How to use:

When the product is in normal use, the bag's size exceeds the original size 1/4 or 1/3, please discharge air in the bag.

Charging: Please plug in the power cord, and then switch on power. The normal charging time is 8-12 minutes. It will start charging when the red light is on. Red light will be off when fully charged. when bag surface rise up during charging, please cut of the power immediately.

Precaution: Please don't allow children to open at the charging, Process Don't use if bag is leaking.

NAREENA'S ELECTRIC HEATING WATER/GEL POCKET BAG

(Model No.: NLS-EHWPB)

Product Specification:

- Safe, explosion-proof, portable and reusable.
- You can put both hands in it, keeping warm for long time.
- pressing water plug design completely prevents burns from water plug falling off.
- product parameters: Material: wollen + pvc
- product size: about 26 x 19cm/10.24 x 7.48 in.
- product weight: about 150g.
- Rated voltage: 220V.
- Rated power: 450W.
- Using time: hand warmer: 2 hours.
- The maximum temperature range: 50~90C.
- · Color-coffee, red, rose red, black, purple, light red, pink, gray
- Accessories: 1x hot bottle. 1x power cord.1











NAREENA'S VAPORIZER (DOUBLE WALL)

(Model No. : NLS-VP1000)

Nareena's Vaporizer comes with three attachments and are provided with smooth edge for the nasal and facila purpose. Nasal steamer is provided tp promote relief from cold, throat infection and congestion problems. You can add inhalants to the vaporizers like Vicks other medicines.

 \boldsymbol{Uses} : It is designed to exfoliate the skin by opening the skin pores and stimulating facial blood circulation. It cleans and softens the skin giving you a refreshing look.

Instructions:

- Before use, open the lid and pour water.
- Fill up to max level or lesser, as required. Plug cord in the socket.
- Use only with 220 to 240 V.A.C., Do not tilt when in use.
- It is not recommended to add any salt for increasing vapor pressure to use hard water. Switch OFF before pouring additional water.

Products Specification and Features:

- Water container covers with double wall for the best & safety and to avoid
- The vaporizer helps to clear the clogs and open facial pores present deeply.
- Attachments vaporizer has 3 attachments, consisting of Nasal steamer, Vaporizer and Facial sauna Along with the attachments Steam Vaporizer is quite convenient to carry on the wat or at home as well

NAREENA'S SPIROMETER

(Model No.: NLS-SM1)

The Nareena's Spirometer is designed to encourage the user to take deep breath. The spirometer provides patient feedback by showing how well the patient is expanding their lungs. This deep breathing encourages the clearance of phlegm from the lungs.

How to use:

- Hold the unit in an upright position.
- Exhale normally and then place your lips tightly around the mouthplece at the end of the tubing.
- Low flow rate Inhale at a rate to raise only the ball in the first chamber. The second chamber ball must remain in place. This position should be held for three second or as long as possible whichever comes first.
- High low rate-Inhale at a rate to raise the first and second chamber balls. Ensure tat the third chamber ball remains in the rest position for the duration of this exercise.
- Exhale-Take out the mouthpliece and exhale normally, relax (Repeat)-Following each prolonged deep breath, take a moment to rest and be repeated according to physician's Instructions.





NAREENA'S ECO VAPORIZER (SINGLE WALL)

(Model No.: NLS-VP-1001)

Nareena's Vaporizer comes with three attachments and are provided with smooth edge for the nasal and facila purpose. Nasal steamer is provided tp promote relief from cold, throat infection and congestion problems. You can add inhalants to the vaporizers like Vicks other medicines.

Uses: It is designed to exfoliate the skin by opening the skin pores and stimulating facial blood circulation. It cleans and softens the skin giving you a refreshing look.

Instructions:

- Before use, open the lid and pour water.
- Fill up to max level or lesser, as required. Plug cord in the socket.
- Use only with 220 to 240 V.A.C., Do not tilt when in use.
- It is not recommended to add any salt for increasing vapor pressure to use hard water. Switch OFF before pouring additional water.

Products Specification and Features:

- Water container covers with single wall for the best & safety and to avoid the burns.
- The vaporizer helps to clear the clogs and open facial pores present deeply.
- Attachments vaporizer has 3 attachments, consisting of Nasal steamer, Vaporizer and Facial sauna Along with the attachments Steam Vaporizer is quite convenient to carry on the wat or at home as well

NAREENA'S DIGITAL THERMOMETER

(Model No.: NLS-DT-0721)


- 1- High accuracy
- 2- Last Reading memory
- 3- Suitable for babies, kids, adults
- 4- One button operation
- 5- Soft beep
- 6-Low battery alert
- 7- Long lasting battery
- 8- Plastic case included
- 9- Auto off





NAREENA'S CERTIFICATION







NAREENA'S CERTIFICATION

